

## Density and Refractive Index for Cesium Chloride at 25 degrees C, MW=168.37

Density (g/cm <sup>3</sup> )	Refractive index
1.0047	1.3333
1.0125	1.3340
1.0204	1.3348
1.0284	1.3356
1.0365	1.3364
1.0447	1.3372
1.0531	1.3380
1.0615	1.3388
1.0700	1.3397
1.0788	1.3405
1.0877	1.3414
1.0967	1.3423
1.1059	1.3432
1.1151	1.3441
1.1245	1.3450
1.1340	1.3459
1.1437	1.3468
1.1536	1.3478
1.1637	1.3488
1.1739	1.3498
1.1843	1.3508
1.1948	1.3518
1.2055	1.3529
1.2164	1.3539
1.2275	1.3550
1.2387	1.3561
1.2502	1.3572
1.2619	1.3584
1.2738	1.3596
1.2858	1.3607
1.298	1.3619
1.311	1.3631
1.324	1.3644
1.336	1.3657
1.3496	1.3670
1.363	1.3683
1.377	1.3696
1.391	1.3709
1.406	1.3722
1.4196	1.3735
1.435	1.3750
1.450	1.3764
1.465	1.3778
1.481	1.3792
1.4969	1.3807
1.513	1.3822
1.529	1.3837
1.546	1.3852
1.564	1.3868
1.5825	1.3885
1.601	1.3903
1.619	1.3920
1.638	1.3937
1.658	1.3955
1.6778	1.3973
1.699	1.3992
1.720	1.4012
1.741	1.4032
1.763	1.4052
1.7846	1.4072
1.808	1.4093
1.831	1.4115
1.856	1.4137
1.880	1.4160
1.9052	1.4183